

Stockholder Of Din Pn10 Threaded Elbolet, Copper Nickel Threaded Elbolet Exporter in India, Alloy 20 Threaded Elbolet Traders In India, ASTM A182 SS Threaded Elbolet, Alloy Steel Welding Outlets, Inconel 600 Threaded Elbolet

Stockist Of Stainless Steel Threaded Elbolet, Raised Faced Threaded Elbolet Dealer In India, Ansi B16.11 Threaded Elbolet, ASME B16.11 Threaded Elbolet, Asme B16.11 Class 150 Threaded Elbolet Dimension

Best Deal Of Duplex Steel Threaded Elbolet, Hastelloy C22 Threaded Elbolet, Alloy Steel Blind Threaded Elbolet, Nickel Alloy 200 Threaded Elbolet, Manufacturer Of Threaded Elbolet, Carbon Steel Threaded Elbolet, Mss Sp-97 Threaded Elbolet In India

Threaded Elbolet is the most popular branch connection: the branch is made by welding the item to the outlet of the run pipe. The ends of a **Threaded Elbolet** are bevelled to facilitate the welding process, and for this reason **Threaded Elbolet** belong to the family of butt weld fittings.

Fivebros forgings Pvt LTD. Is One Of The Largest **Manufacturer Of Threaded Elbolet in India.** **SS ASME B16.11 Threaded Elbolet** has excellent resistance to chloride-ion stress-corrosion cracking, and as well shows appropriate resistance to a number of oxidizing environments. **ANSI B16.11 Threaded Elbolet** is very much resistant to chemical corrosion and oxidation (corrosion resistant), and has some high stress-rupture effectiveness and low creep rates under high stresses at temperatures after suitable heat treatment. Our **ASTM A182 Threaded Elbolet** are accessible to our valuable customers in different range of diameters (d), wall thicknesses (w) and sizes (nom. Pipe Size) in customized form (as per customer requirement or order) and also at quite affordable rates (Best Price In India). Meanwhile, we offer different types of these fitting such as [We Manufacture And Supply Threaded Elbolet In Other Materials Like :] **Stainless Steel 304 Threaded Elbolet**, Inconel 625 Threaded Elbolet, **Carbon Steel Threaded Elbolet**, **Alloy Steel Threaded Elbolet**,

ASME B16.9 Threaded Elbolet Manufacturers

Standard Specification of Threaded Elbolet

Dimensions : ASME 16.11, MSS SP-97, BS 3799

Size : 1/2" to 24"

Pressure Class : 3000 LBS, 6000 LBS, 9000 LBS

Form : Welding Outlets, Welding Olets.

What is Threaded Elbolet

Threaded Elbolet is the most popular branch connection: the branch is made by welding the item to the outlet of the run pipe. The ends of a **ASTM A105 Threaded Elbolet** are bevelled to facilitate the welding process, and for this reason **Threaded Elbolet** belong to the family of butt weld Fittings.

Manufacturing Standards of Threaded Elbolet

ASTM A182 – ASME SA182 – Standard Specification for Wrought Austenitic Stainless Steel Piping Fittings

ASME B16.11 – Forged Fittings Socket – Welding and Threaded

MSS SP-97 – Integrally Reinforced Forged Branch Threaded Elbolet – Socket Welding, Threaded and Buttwelding End

Material & Grades of ASME B16.9 Threaded Elbolet :

Stainless Steel Threaded Elbolet :

ASTM A 182, A 240 F 304, 304L, 304H, 316, 316L, 316Ti, 310, 310S, 321, 321H, 317, 347, 347H, 904L

Duplex & Super Duplex Steel Threaded Elbolet :

ASTM / ASME A/SA 182 F 44, F 45, F51, F 53, F 55, F 60, F 61

Carbon Steel Threaded Elbolet :

ASTM / ASME A/SA 105 ASTM / ASME A 350 , ASTM A 181 LF 2 / A516 Gr.70 A36, A694 F42, F46, F52, F60, F65, F706

Low Temperature Carbon Steel Threaded Elbolet : ASTM A350, LF2, LF3

Alloy Steel Threaded Elbolet :

ASTM / ASME A/SA 182 & A 387 F1, F5, F9, F11, F12, F22, F91

Copper Alloy Steel Threaded Elbolet : ASTM SB 61 , SB62 , SB151 , SB152 UNS No. C 70600 (Cu-Ni 90/10), C 71500 (Cu-Ni 70/30), UNS No. C 10100, 10200, 10300, 10800, 12000, 12200

Nickel Alloy Threaded Elbolet :

ASTM SB564, SB160, SB472, SB162 Nickel 200 (UNS No. N02200), Nickel 201 (UNS No. N02201), Monel 400 (UNS No. N04400), Monel 500 (UNS No. N05500), Inconel 800 (UNS No. N08800), Inconel 825 (UNS No. N08825), Inconel 600 (UNS No. N06600), Inconel 625 (UNS No. N06625), Inconel 601 (UNS No. N06601), Hastelloy C 276 (UNS No. N10276), Alloy 20 (UNS No. N08020)

Threaded Elbolet Dimensions :**Olets Branch Connection – Threaded Elbolet Dimensions**

Nominal Pipe Size	Face to Crotch (L)	
	3000 Lbs	6000 Lbs
1/8"	19	–
1/4"	19	–
3/8"	21	–
1/2"	25	32
3/4"	27	37
1"	33	40
1 1/4"	33	41
1 1/2"	35	43
2"	38	52
2 1/2"	46	–
3"	51	–
4"	57	–

General notes:

- Dimensions: Top Row in Inches / Bottom Row in millimeters.
- Root Gap - X - "Space" for welding the O'let is raised off the run pipe to establish proper weld gap by placing spacers, e.g. welding rods, under the fitting. This provides a uniform welding gap between the curvature of the run and base of fitting.
- L = Dimensions Center Line of Run Pipe + X (Root Gap) + A (height of Threaded Elbolet).
- Bevelled Ends ASME B16.9 and B16.25.